

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S13 4	94	S133 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 20:49
S13 3	96	S93 and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 20:49
S13 1	80	S130 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 20:49
S13 0	83	S93 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 20:45
S12 9	128	S128 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 20:43
S12 8	139	S126 and address near8 (memory or register or buffer or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:56
S12 6	235	S125 and device adj2 driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 16:08
S12 5	1670	710/300-304.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 16:07
S12 4	10	S123 and "710"/.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 16:04

S12 3	106	driver with prefetch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 16:07
S12 2	39	S120 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 20:45
S12 0	43	S119 and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 16:02
S11 9	181	S88 and prefetch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 16:01
S11 8	103	S117 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 16:03
S11 7	108	S115 and (driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:57
S11 6	238	S115 and (program or driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:57
S11 5	368	S88 and S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:56
S11 4	61	S88 and (download\$3 or load\$3) near5 (driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:56
S11 3	106	S112 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:57

S11 2	119	S111 and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:47
S11 1	150	S110 and (download\$3 or load\$3) near5 (software or driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:48
S11 0	999	710/301-302.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:16
S10 9	60	S108 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:47
S10 8	67	S105 same (download\$3 or load\$3) near5 (software or driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:47
S10 7	48	S106 and "710"/.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 15:08
S10 6	439	S105 same driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 15:03
S10 5	25822	address near8 increment\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 15:03
S10 4	4	S102 and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 15:01
S10 2	710	710/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 15:00

S101	33	S100 and (program or driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:47
S100	46	S99 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 15:10
S99	54	S98 and lsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:46
S98	1372	710/300-302.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:46
S97	94	S95 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:47
S95	96	S93 and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 14:43
S93	6594	register near8 address with increment\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:57
S92	30	S90 and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 14:40
S91	14520	register near8 address same data same write	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 14:43
S90	191	S67 and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 14:40

S88	2505	710/52-57.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:59
S87	23	S85 same (event or fail\$3 or error or abnormal\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 14:35
S85	181	S84 with (\$5processor or mcpu or cpu or mpu or pu or processing adj2 (unit or node or module or circuit or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 12:58
S84	1530	S81 with interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 12:37
S83	41	S81 same S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 12:34
S82	1060	interrupt with bit near5 (type or kind or event different or "according to" or "accordance with" or correspond\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 12:33
S81	106625	(logic or gate) near2 "OR"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 12:37
S80	701	interrupt with bit near5 (type or kind or event different or "according to" or "accordance with" or correspond\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 12:33
S79	79	S78 not S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 12:29
S78	82	S75 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 12:29

S77	20	S75 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 12:29
S75	323	S74 same "or" adj gate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 11:54
S74	9932	interrupt near8 bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 11:54
S73	26	S63 and "or" adj gate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 11:54
S70	44	S68 and interrupt with (bit or register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 11:25
S68	69	S64 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 11:24
S67	2389	710/306-315.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 11:24
S66	1	S63 same "or" adj gate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 11:24
S65	25	S63 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:48
S64	1781	710/260-269.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:48

S63	110	interrupt with bit near5 ((type or kind) adj3 (event or interrupt) or different or "according to" or "accordance with")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 12:32
S62	5	S61 and interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:34
S61	14	(US-20040128417-\$ or US-20010034805-\$).did. or (US-5933613-\$ or US-6549993-\$ or US-6180864-\$ or US-5179663-\$ or US-4989135-\$ or US-5517647-\$ or US-6366975-\$ or US-6356306-\$ or US-5526494-\$ or US-5506995-\$ or US-6532507-\$).did. or (EP-741358-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/12/07 21:31
S60	20601	"30" and lsi	USPAT	OR	OFF	2005/12/07 21:31
S58	26	S57 not S55	USPAT	OR	OFF	2005/12/07 19:04
S57	37	S56 and wait adj2 signal	USPAT	OR	OFF	2005/12/07 18:59
S56	898	710/114,240-241,244.ccls.	USPAT	OR	OFF	2005/12/07 18:59
S55	14	S40 and wait adj2 signal	USPAT	OR	OFF	2005/12/07 18:59
S54	2	("5526494").URPN.	USPAT	OR	OFF	2005/12/07 18:55
S53	92	bus adj2 release adj2 (request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:19
S51	91	S50 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:09
S50	122	S49 same priorit\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:08
S49	2280	release adj2 (request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:18
S47	22	S42 same release near3 (request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:46

S46	151	S45 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:43
S45	188	S44 not S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:43
S44	190	S43 and (arbit\$7 or contention)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:43
S43	251	S42 and release near3 (request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:07
S42	9564	(\$5processor or mcpu or cpu or mpu or pu or processing adj2 (unit or node or module or circuit or device)) with priorit\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 12:38
S41	34	S40 and release near5 (request or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:43
S40	442	710/244,116.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:37
S39	20	S38 not S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:36
S38	30	S37 same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:20
S37	297	release near3 request same wait	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:20

S36	15	release near3 request same wait adj2 signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:20
S35	62	S34 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:15
S34	314	(arbit\$7 or contention) same wait adj2 signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:17
S33	55	S32 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:15
S32	344	(arbit\$7 or contention) same release same wait	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:14
S31	56	S30 not S28 not S26 not S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:13
S30	67	S29 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:56
S29	4933	710/110,113-314,305-306,309. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:56
S28	25	S27 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:56
S27	1462	710/300,107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:47

S26	97	S25 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:44
S25	100	S24 not S22	USPAT	OR	OFF	2005/12/07 15:39
S24	103	S23 and lsi	USPAT	OR	OFF	2005/12/07 15:39
S23	1807	710/2,36-40.ccls.	USPAT	OR	OFF	2005/12/07 15:39
S22	31	S21 and lsi	USPAT	OR	OFF	2005/12/07 15:38
S21	641	710/240-241.ccls.	USPAT	OR	OFF	2005/12/07 15:26
S20	6	S19 and lsi	USPAT	OR	OFF	2005/12/07 15:39
S19	30	("4989135").URPN.	USPAT	OR	OFF	2005/12/07 15:01
S18	2	S17 and lsi	USPAT	OR	OFF	2005/12/07 15:01
S17	33	("5179663").URPN.	USPAT	OR	OFF	2005/12/07 14:58
S16	4	("4413319" "4484303" "4882727" "4975828").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/07 14:54
S15	226	S14 and @ad<"20021216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:39
S14	300	S12 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 13:05
S13	865	LSI same host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 13:05
S12	5122	(\$5processor or mcpu or cpu or mpu or pu or processing adj2 (unit or node or module or circuit or device)) with LSI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:41
S11	70	S10 and (bus near6 (content\$3 or arbit\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 12:56
S10	316	S9 same (external or internal or common) adj2 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 12:55

S9	6856	(\$5processor or mcpu or cpu or mpu or pu or processing adj2 (unit or node or module or circuit or device)) same LSI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:48
S8	228	S7 same chip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 12:37
S7	1005	asic near7 LSI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 12:37
S5	16	S3 same S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:55
S4	6829	(\$5processor or mcpu or cpu or mpu or pu or processing adj2 (unit or node or module or circuit or device)) same LSI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 12:55
S3	14829	first adj3 (bus) same second adj3 (bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/27 16:55
L33	45	32 and 24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:14
L32	1952	30 same write	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:13
L31	92	30 and 24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:14
L30	7789	28 same (continuous or sequential\$3) near5 (block or data or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:11

L28	64714	address near5 (increment\$3 or counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:09
L27	19	24 and 26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 11:00
L26	2357	continuous adj2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:00
L25	0	23 and 24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:59
L24	2505	710/52-57.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:59
L23	186	22 with continuous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:58
L22	24826	address near5 increment\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:09
L18	303407	address near8 (memory or register or buffer or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:57